

# Red-D-Arc Welderrentals

## Calibration Certificate

### Miller ProHeat 35

Unit Serial Number: LK160098G

Date Tested: 28/08/13

#### Certified Calibration

Primary Standard						
	382° (F) 2.787VDC@RC9		882° (F) 6.013VDC@RC9		1382° (F) 9.239VDC@RC9	
	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display	RC9 output DC voltage reading	ProHeat 35 display
TC1	2.778	381	5.996	881	9.220	1380
TC2	2.780	382	5.995	881	9.222	1381
TC3	2.788	382	6.013	882	9.234	1382
TC4	2.782	382	6.006	882	9.234	1382
TC5	2.782	382	6.007	882	9.224	1381
TC6	2.790	382	6.009	882	9.230	1382
Allowable	2.749-2.825	+/- 3° F	5.975-6.051	+/- 3° F	9.201-9.277	+/- 3° F

**Instruments Used:**

Fluke 714 Thermocouple Calibrator SN: 2118055

Calibration Date: 09/08/13

Precision Digital Voltage Meter SN: 2142011

Calibration Date: 09/08/13

Machine re-calibration due date: 28/08/14

Red-D-Arc does hereby certify the above instrument was calibrated against standards maintained by Red-D-Arc and meets or exceeds all published specifications. The accuracy of these standards is directly traceable to the National Institute of Standards and Technology.

Unit passed inspection.



Technician: Gino Rodin Date: 28/08/13

Signature

Montreal Canada office